

Product Characterization Sheet

PCE3088

Monkey Enterocytes, Catalog Number 82101



Classification

Plateability	Suspension
Number of days plateable	NA
Confluency	NA
Number of donors	1

Donor Demographics

Gender	Male
Strain	Cynomolgus
Age	2-3 years
Infectious diseases	Negative

Post-thaw Viability and Yield

Viability	97 %
Yield	2.2 million

Characterization: Enterocytes were thawed using 37°C CERM™ and centrifuged for 10 minutes at 100g. After removing the supernatant, enterocytes were re-suspended in 4°C HQM™ and counted for viability and yield using the Trypan Blue exclusion method.

Drug Metabolism Activity

Drug Metabolizing Enzyme	Substrate (µM)	Incubation Time (minutes)	Metabolite Quantified	Activity (pmol/minute/ million cells)
CYP1A2	Phenacetin (100)	15	Acetaminophen	112 ± 20.4
CYP2A6	Coumarin (50)	15	7-HC, 7-HC-Sulfate, 7-HC-Glucuronide	0.004 ± 0.01
CYP2A6	Coumarin (50)	15	7-Hydroxycoumarin	0 ± 0
CYP2A6	Coumarin (50)	15	7-Hydroxycoumarin Glucuronide	0.004 ± 0.007
CYP2A6	Coumarin (50)	15	7-Hydroxycoumarin Sulfate	0 ± 0
CYP2B6	Bupropion (500)	15	Hydroxybupropion	0.067 ± 0.04
CYP2C8	Paclitaxel (20)	15	6α-hydroxypaclitaxel	0.09 ± 0.02
CYP2C9	Diclofenac (25)	15	4-OH Diclofenac	1.34 ± 0.04
CYP2C19	S-Mephenytoin (250)	15	4-OH S-Mephenytoin	0 ± 0
CYP2D6	Dextromethorphan (15)	15	Dextrophan	0.025 ± 0.003
CYP2E1	Chlorzoxazone (250)	15	6-OH Chlorzoxazone	1.67 ± 0.05
CYP3A4-1	Midazolam (20)	15	1-Hydroxymidazolam	0.155 ± 0.012
CYP3A4-2	Testosterone (200)	15	6β-hydroxytestosterone	3.43 ± 0.85
ECOD	7-Ethoxycoumarin (100)	15	7-HC, 7-HC-Sulfate, 7-HC-Glucuronide	0.3 ± 0.13
ECOD	7-Ethoxycoumarin (100)	15	7-Hydroxycoumarin	0.296 ± 0.13
ECOD	7-Ethoxycoumarin (100)	15	7-Hydroxycoumarin Glucuronide	0 ± 0
ECOD	7-Ethoxycoumarin (100)	15	7-Hydroxycoumarin Sulfate	0 ± 0
UGT	7-Hydroxycoumarin (100)	15	7-Hydroxycoumarin Glucuronide	0.2 ± 0.03
SULT	7-Hydroxycoumarin (100)	15	7-Hydroxycoumarin Sulfate	0.085 ± 0.001
GST	Acetaminophen (10)	15	Acetaminophen Glutathione	0 ± 0
UGT	Acetaminophen (10)	15	Acetaminophen Glucuronide	0.082 ± 0.06
SULT	Acetaminophen (10)	15	Acetaminophen Sulfate	0.019 ± 0.005
FMO	Benzydamine HCl (250)	15	Benzydamine-N-Oxide	2.71 ± 0.2
MAO	Kynuramine HCl (160)	15	4-hydroxyquinoline	15.8 ± 3.32
AO	Carbazeran HCl (10)	15	4-Hydroxycarbazeran	0.243 ± 0.011
NAT1	4-Aminobenzoic HCl (200)	15	N-Acetyl-p-aminobenzoic acid	3.2 ± 0.31
NAT2	Sulfamethazine (100)	15	N-Acetyl-sulfamethazine	2.64 ± 0.66
1A1	7-EROD (100)	15	Resozufin	0 ± 0
2J2	Astemizole (50)	15	O-Demethyl Astemizole	9.82 ± 0.69
CES2	Irinotecan (50)	15	SN38	2.01 ± 0.55

Product Characterization Sheet
PCE3088

Monkey Enterocytes, Catalog Number 82101



CYP450 Activity Assessment: The enterocytes were incubated at a cell density of 1.5 million enterocytes/mL in a 96-well plate (150,000 enterocytes/well) for the designated time duration of 15 minutes with isoform-selective substrates. The metabolites were identified and analyzed using LC-MS/MS.

Enterocyte Morphology: Enterocyte cell size is approximately 12 – 17 microns in diameter. Lymphocytes are approximately 4 microns and may also be observed in the enterocyte cell population.

IVAL cell culture media and tissue culture plates used in this evaluation:

- Recovery of thawed enterocytes - Cat. No. 81056 - CERM™ Cryopreserved Enterocyte Recovery Media, 50 mL tube
- Suspension and incubation of enterocytes - Cat. No. 81039 - HQM™ Hepatocyte and Enterocyte Incubation Media, 50 mL tube

To inquire about our products and services or for technical questions please contact:

- In Vitro ADMET Laboratories by phone at +1 (866) 458-1094 or +1 (410) 869-9037 or email at info@invitroadmet.com