Product Characterization Sheet HH1024





Classification

| Plateability | Suspension | |
|--------------------------|------------|--|
| Number of days plateable | NA | |
| Confluency | NA | |
| P450 Inducibility | NA | |
| Transporter activity | NA | |
| Number of donors | 1 | |

Post-thaw Viability and Yield

| Viability | 88 % | |
|-----------|-------------|--|
| Yield | 7.6 million | |

Donor Demographics

| Male | |
|------------------------------------|--|
| 48 years | |
| Caucasian | |
| Anoxia 2 nd to CVA | |
| 25.1 | |
| Yes | |
| Yes | |
| Yes | |
| NA | |
| HBV-, HCV-, CMV-, HIV-, EBV (IgG)+ | |
| | |

<u>Characterization:</u> Hepatocytes were thawed using 37°C UCRMTM and centrifuged for 10 minutes at 100g. After removing the supernatant, hepatocytes were re-suspended in 4°C HQMTM and counted for viability and yield using the Trypan Blue exclusion method.

Drug Metabolism Activity

| Drug Metabolizing Enzyme | Substrate (μΜ) | Incubation Time (minutes) | Metabolite Quantified | Activity (pmol/minute/million cells) |
|-----------------------------|-------------------------|------------------------------|-------------------------------|--------------------------------------|
| CYP1A2 | Phenacetin (100) | 15 | Acetaminophen | 676.0 |
| CYP2A6 | Coumarin (50) | 30 | 7-Hydroxycoumarin | - |
| CYP2B6 | Bupropion (500) | 15 | Hydroxybupropion | 65.3 |
| CYP2C8 | Paclitaxel (20) | 15 | 6α-Hydroxypaclitaxel | 2.4 |
| CYP2C9 | Diclofenac (25) | 15 | 4-Hydroxydiclofenac | 73.5 |
| CYP2C19 | S-Mephenytoin (250) | 30 | 4-Hydroxymephenytoin | 53.1 |
| CYP2D6 | Dextromethorphan (15) | 15 | Dextrorphan | 101.2 |
| CYP2E1 | Chlorzoxazone (250) | 15 | 6-Hydroxychlorzoxazone | 263.2 |
| CYP3A4 | Midazolam (20) | 10 | 1-Hydroxymidazolam | 66.1 |
| | Testosterone (200) | 15 | 6β-Hydroxytestosterone | 565.3 |
| ECOD | 7-Ethoxycoumarin (100) | 30 | 7-Hydroxycoumarin | - |
| UGT | 7-Hydroxycoumarin (100) | 30 | 7-Hydroxycoumarin glucuronide | - |
| Sulfotransferase | 7-Hydroxycoumarin (100) | 30 | 7-Hydroxycoumarin sulfate | - |

<u>CYP450 Activity Assessment:</u> The hepatocytes were incubated at a cell density of 0.5 million cells/mL in a 48-well plate (125,000 hepatocytes/well) for the designated time durations with isoform-selective substrates. The metabolites were identified and analyzed using LC-MS/MS.

IVAL cell culture media and tissue culture plates used in this evaluation:

- Recovery of thawed hepatocytes Cat. No. 81015 UCRM™ Universal Cryopreservation Recovery Media, 50 mL tube
- Suspension and incubation of hepatocytes Cat. No. 81039/81040 HQM™ Hepatocyte Incubation Media, 50 mL tube/500 mL bottle

To inquire about our products and services or for technical questions please contact:

• In Vitro ADMET Laboratories by phone at +1 (866) 458-1094 or +1 (410) 869-9037 or email at info@invitroadmet.com