

# Product Characterization Sheet

## PCE3091

Monkey Enterocytes, Catalog Number 82101



### Classification

Plateability	Suspension
Number of days plateable	NA
Confluency	NA
Number of donors	3

### Donor Demographics

Gender	Female
Strain	Cynomolgus
Age	3-4 years
Infectious diseases	Negative

### Post-thaw Viability and Yield

Viability	96 %
Yield	2.5 million

**Characterization:** Enterocytes were thawed using 37°C CERM™ and centrifuged for 10 minutes at 100g. After removing the supernatant, enterocytes were re-suspended in 4°C HQM™ and counted for viability and yield using the Trypan Blue exclusion method.

### Drug Metabolism Activity

Drug Metabolizing Enzyme	Substrate (µM)	Incubation Time (minutes)	Metabolite Quantified	Activity (pmol/minute/ million cells)
CYP1A2	Phenacetin (100)	15	Acetaminophen	137 ± 23.6
CYP2A6	Coumarin (50)	15	7-HC, 7-HC-Sulfate, 7-HC-Glucuronide	0.001 ± 0.002
CYP2A6	Coumarin (50)	15	7-Hydroxycoumarin	0 ± 0
CYP2A6	Coumarin (50)	15	7-Hydroxycoumarin Glucuronide	0.001 ± 0.002
CYP2A6	Coumarin (50)	15	7-Hydroxycoumarin Sulfate	0 ± 0
CYP2B6	Bupropion (500)	15	Hydroxybupropion	0.31 ± 0.08
CYP2C8	Paclitaxel (20)	15	6α-hydroxypaclitaxel	0.101 ± 0.02
CYP2C9	Diclofenac (25)	15	4-OH Diclofenac	1.38 ± 0.01
CYP2C19	S-Mephenytoin (250)	15	4-OH S-Mephenytoin	0 ± 0
CYP2D6	Dextromethorphan (15)	15	Dextrophan	0.02 ± 0.01
CYP2E1	Chlorzoxazone (250)	15	6-OH Chlorzoxazone	1.6 ± 0.03
CYP3A4-1	Midazolam (20)	15	1-Hydroxymidazolam	0.125 ± 0.016
CYP3A4-2	Testosterone (200)	15	6β-hydroxytestosterone	2.9 ± 0.79
ECOD	7-Ethoxycoumarin (100)	15	7-HC, 7-HC-Sulfate, 7-HC-Glucuronide	0.35 ± 0.05
ECOD	7-Ethoxycoumarin (100)	15	7-Hydroxycoumarin	0.349 ± 0.052
ECOD	7-Ethoxycoumarin (100)	15	7-Hydroxycoumarin Glucuronide	0 ± 0
ECOD	7-Ethoxycoumarin (100)	15	7-Hydroxycoumarin Sulfate	0 ± 0
UGT	7-Hydroxycoumarin (100)	15	7-Hydroxycoumarin Glucuronide	0.31 ± 0.06
SULT	7-Hydroxycoumarin (100)	15	7-Hydroxycoumarin Sulfate	0.08 ± 0.002
GST	Acetaminophen (10)	15	Acetaminophen Glutathione	0 ± 0
UGT	Acetaminophen (10)	15	Acetaminophen Glucuronide	0.031 ± 0.035
SULT	Acetaminophen (10)	15	Acetaminophen Sulfate	0.014 ± 0.002
FMO	Benzydamine HCl (250)	15	Benzydamine-N-Oxide	2.48 ± 0.37
MAO	Kynuramine HCl (160)	15	4-hydroxyquinoline	12.4 ± 4.77
AO	Carbazeran HCl (10)	15	4-Hydroxycarbazeran	0.138 ± 0.004
NAT1	4-Aminobenzoic HCl (200)	15	N-Acetyl-p-aminobenzoic acid	3.41 ± 0.21
NAT2	Sulfamethazine (100)	15	N-Acetyl-sulfamethazine	2.56 ± 0.17
1A1	7-EROD (100)	15	Resozufin	0 ± 0
2J2	Astemizole (50)	15	O-Demethyl Astemizole	7.53 ± 1.47
CES2	Irinotecan (50)	15	SN38	1.23 ± 0.34

Product Characterization Sheet  
PCE3091

Monkey Enterocytes, Catalog Number 82101



CYP450 Activity Assessment: The enterocytes were incubated at a cell density of 1.5 million enterocytes/mL in a 96-well plate (150,000 enterocytes/well) for the designated time duration of 15 minutes with isoform-selective substrates. The metabolites were identified and analyzed using LC-MS/MS.

Enterocyte Morphology: Enterocyte cell size is approximately 12 – 17 microns in diameter. Lymphocytes are approximately 4 microns and may also be observed in the enterocyte cell population.

IVAL cell culture media and tissue culture plates used in this evaluation:

- Recovery of thawed enterocytes - Cat. No. 81056 - CERM™ Cryopreserved Enterocyte Recovery Media, 50 mL tube
- Suspension and incubation of enterocytes - Cat. No. 81039 - HQM™ Hepatocyte and Enterocyte Incubation Media, 50 mL tube

To inquire about our products and services or for technical questions please contact:

- In Vitro ADMET Laboratories by phone at +1 (866) 458-1094 or +1 (410) 869-9037 or email at [info@invitroadmet.com](mailto:info@invitroadmet.com)